


We claim:


1. A fungicidal mixture, comprising

(1) 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-[1,2,4]-triazole-3-thione (prothioconazole) of the formula I or its salts or adducts




and at least one insecticide selected from the group consisting of

(2) fipronil of the formula II



or


(3) chlorpyrifos of the formula III



or

(4) thiamethoxam of the formula IV

14



(IV)

5

in a synergistically effective amount.

- 10 2. A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and fipronil of the formula II.
3. A fungicidal mixture as claimed in claim 1, comprising
15 prothioconazole of the formula I and chlorpyrifos of the formula III.
4. A fungicidal mixture as claimed in claim 1, comprising
20 prothioconazole of the formula I and thiamethoxam of the formula IV.
5. A fungicidal mixture as claimed in claim 1, wherein the weight ratio of prothioconazole of the formula I to
- 25 - fipronil of the formula II
is from 20 : 1 to 1 : 20,
- chlorpyrifos of the formula III
is from 20 : 1 to 1 : 20 and
- 30 - thiamethoxam of the formula IV
is from 20 : 1 to 1 : 20.
6. A method for controlling harmful fungi, which comprises
35 treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them with the fungicidal mixture as claimed in claim 1.
7. A method as claimed in claim 6, wherein the compound of the
40 formula I as set forth in claim 1 and at least one compound of the formula II, III or IV as set forth in claim 1 are applied simultaneously, that is together or separately, or in succession.

45

15

8. A method as claimed in claim 6 or 7, wherein the fungicidal mixture or the compound of the formula I and at least one compound of the formula II, III or IV as set forth in claim 1 are applied in an amount of from 0.01 to 8 kg/ha.

5

9. A fungicidal composition, comprising the fungicidal mixture as claimed in claim 1 and a solid or liquid carrier.

10

15

20

25

30

35

40

45